


Prosthetic components compatible with Implantium-Dentium® implants

Titanium Grade 5





Prosthetic components compatible with Implantium-Dentium® implants

Healir	ng Screw	/S.		Ref. Number	Diameter 🖉	Height (mm)
				11.450.401	4.5	1
				11.450.402	4.5	2
		1	7	11.450.403	4.5	3
				11.450.405	4.5	5

Lab Analogs.



Ref. Number Diameter 🖉 11.450.200 4.5 Only one lab analog for both methods * (impression or scanning)

Impression Posts.	Ref. Number Diameter $ otin Method$ Impression Method
	11.450.500 4.5 Open Tray 11.450.550 4.5 Closed Tray
	Screw Ref. Number: Open Tray: 11.500.100 Closed Tray: 11.100
Scan Bodies.	Ref. Number Diameter 🖉




11.450.SA 4.5

Screw Ref. Number: 11.100

Novamind scan bodies are used only in combination to * novamind free libraries either with novamind ti-bases or directly on implant restorative platforms. Scan Bodies are made of peek and are easily scanned with intra-oral and desktrop scanners.



Prosthetic components compatible with Implantium-Dentium® implants



	estorations.	Ref. Number	Diameter 🖉	Angulation Degrees(⁰)	Gingiva Height (mm)
		11.450.00.150	4.5	0 0	1.5
	*	11.450.00.250	4.5	0 0	2.5
		11.450.00.350	4.5	0 0	3.5
_		11.450.17.150	4.5	17 °	1.5
		11.450.17.250	4.5	17 °	2.5
		11.450.17.350	4.5	17 °	3.5
		11.450.25.200	4.5	25 °	2.0
		11.450.25.300	4.5	25 °	3.0
		11.450.25.400	4.5	25 °	4.0
		Screw Ref.	Number: 11.100		

Available in three different degrees of angulation 0,17,25. Three different gingiva height collars to optimize the best possible emergence profile.

 Castable Abutments.
 Ref. Number
 Diameter Ø

 Image: Castable Abutments
 Image: Castable Abutme



Titanium grade 5

Diameter 🖉

4.5

4.5

Height (mm)

Prosthetic components compatible with Implantium-Dentium® implants

Overdenture Over-Lock Abutments.



 11.450.803
 4.5

 11.450.804
 4.5

11.450.801 11.450.802

Ref. Number

X Over-Locks are compatible to locator abutments for overdentures. 4 different Heights.

Overlock Standard Retention Kit.

Description

Reference Number

Available either as a set or individually. They are used in cases where the total angulation axis among implants does not exceed 15°.

Metal Housing	MH800
Black Lab Plastic	PL.800.BLACK
Blue Plastic Light Retention 0.68 KG	PL.800.BLUE
Grey Plastic Medium Retention 1.36 KG	PL.800.GREY
Clear Plastic Strong Retention 2.26 KG	PL.800.CLEAR

Overlock Extended Retention Kit with no Core.

Description

Reference Number

* Available either as a set or individually. They are used in cases where the total angulation axis among implants exceeds 15°.

Metal Housing	MH800
Black Lab Plastic	PL.800.BLACK
Red Plastic Light Retention 0.68 KG	PL.800.RED
Orange Plastic Medium Retention 1.36 KG	PL.800.ORANGE
Green Plastic Strong Retention 2.26 KG	PL.800.GREEN



Prosthetic components compatible with Implantium-Dentium[®] implants

Mul	lti-Un	it Ab	utmer	nts.	Ref. Number	Diameter 🖉	Angulation Degrees([○])	Gingiva Height (mm)
-					MU.11.450.00.100	4.5	0 0	1.0
					MU.11.450.00.200	4.5	0 0	2.0
					MU.11.450.00.300	4.5	0 0	3.0
			100		MU.11.450.00.400	4.5	0 0	4.0
U		U.	U.		MU.11.450.17.250	4.5	17 °	2.5

✤ Multi-unit abutments is currently the most accepted and highly recommended solution in screw retained restorations. They have many advantages such as a common prosthetic platform for all implants.

MU.11.450.00.100	4.5	0 9	1.0
MU.11.450.00.200	4.5	0 0	2.0
MU.11.450.00.300	4.5	0 0	3.0
MU.11.450.00.400	4.5	0 0	4.0
MU.11.450.17.250	4.5	17 °	2.5

Multi-Unit Prosthetic System.



Multi-Unit has its own prosthetic components, the same for all implant systems.

Description	Reference Number
Healing Screw	MU.402
Impression Post Open Tray	MU.500
Scan Abutment	MU.SA
Lab Analog	MU.200
Plastic Castable	MU.301
Ti-Base	MU.601
Titanium Temporary Cylinder	MU.901

Screw Ref. Number: MU.500.100 MU.100

